

# **KAZAKHSTAN**

# **ABOUT KAZAKHSTAN VACCINATIONS**

Kazakhstan is located in central Asia and shares borders with Russia in the north and China in the east. Its western border is along the Caspian Sea. The climate is desert-like, and a mere 13-25 cm of rain falls annually. January brings cold temperatures that range from -18° to -9°C and temperatures range between 16-24°C during July.



# **VACCINE PREVENTABLE DISEASES**

# **YELLOW FEVER**

**Country requirement at entry:** a yellow fever vaccination certificate is required for travellers arriving from countries with risk of yellow fever transmission and for travellers having transited through an airport of a country with risk of yellow fever transmission.

# **COVID-19**

For the most up to date requirements for entry into Australia, go to Smartraveller.

Please click this COVID-19 Travel Regulations Map (IATA) to view the latest Kazakhstan COVID travel requirements.

# **HEPATITIS A**

Moderate risk to travellers, vaccination recommended.

# **HEPATITIS B**

Moderate presence of Hepatitis B in local population. Vaccination would be recommended.

# **TYPHOID**

Moderate risk for most travellers. Vaccination recommended for travel to smaller cities, villages and rural areas outside usual tourist routes. Some medical conditions pre-dispose to infection; whether vaccinations would be recommended should be discussed with a medical practitioner. Consult a medical practitioner for your specific risk.

#### INFLUENZA

Northern hemisphere winter risk (November to April). Most common vaccine preventable illness in travellers. Vaccine recommended, effective for 1 year.

#### RABIES

Disease present. Recommendation for vaccination will depend on specific itinerary and activities planned. Generally rabies vaccination is advised for high risk individuals such as veterinarians or animal handlers, cavers. Additionally for higher risk travellers who plan: extended periods outdoors, rural travel, adventurous activities including bicycling; also expats or long-term travellers to endemic regions and children (risk of more severe or risk-prone bites and may not report contact at all).

#### **JAPANESE ENCEPHALITIS**

No risk to travellers.

#### POLIO

No risk to travellers.

### **TICKBORNE ENCEPHALITIS**

Vaccine is available in Australia - medical practitioners must apply through the special access scheme of the TGA. Recommended for high risk travellers: long-term residents, stays in rural and forested areas, campers and hikers, consuming unpasteurised dairy products. The disease is most active from April through August.

#### **MENINGOCOCCAL MENINGITIS**

Low risk to travellers.

#### **CHOLERA**

No risk to travellers.

# **OTHER DISEASES**

# **TRAVELLERS DIARRHOEA**

Moderate risk. Travellers' Diarrhoea affects 20-60% of overseas travellers, food and water precautions are essential. Self-treatment medications may be recommended.

#### **INSECT-BORNE DISEASES**

No risk to travellers.

#### **SCHISTOSOMIASIS**

No risk to travellers.

#### STIs

Sexually transmitted and blood-borne diseases occur. The risk to travellers can be greatly reduced by practising safe sex with any new partner. All travellers should carry condoms. Blood borne diseases (HIV, Hepatitis B & C) can be spread by blood transfusion, tattooing, body piercing or non-sterile needles. Travellers in high risk groups should carry sterile needles (see also Medical Care).

# ALTITUDE

Altitude illness is a risk to travellers ascending higher than 2000 meters. Preventative medication is available. Consult a medical practitioner if ascending to 2000 metres or above.

# **ADDITIONAL INFORMATION**

# **PERSONAL SAFETY**

In order to check before and during travel for any high-risk areas visit the Smartraveller website. Avoid unnecessary displays of wealth or valuables and minimise the amounts of cash carried. Keep secure records of passport/credit card/licence numbers. For more safety tips visit: www.smartraveller.gov.au.

### **MEDICAL CARE**

Comprehensive medical facilities available only in the major population centres and/or specific private clinics. Sterile surgical products (syringes/needles/sutures) are not always available. Check for any contacts supplied by your emergency assistance organisation (nominated by your travel insurer) or with IAMAT (International Association of Medical Assistance for Travellers).

### **FIRST AID KITS & ACCESSORIES**

Always carry an <u>advanced first aid kit</u>, including needles and syringes (shortages of sterile equipment are common). A prescription kit (containing treatments for travellers' diarrhoea) is essential. A <u>mosquito net</u> and <u>insect repellent</u> (containing DEET, Citriodiol or Picaridin) are highly recommended, even if anti-malarials are taken.

More information on Kazakhstan is available during your pre-travel consultation with Travelvax. Call 1300 360 164 for the location of the clinic nearest to you.